

**To:** Hestmark, Martin[Hestmark.Martin@epa.gov]  
**Cc:** Edlund, Carl[Edlund.Carl@epa.gov]  
**From:** Manzanilla, Enrique  
**Sent:** Fri 8/7/2015 11:05:25 PM  
**Subject:** FW: water quality parameters

Please send attachment...

Thanks

**From:** Blumenfeld, Jared  
**Sent:** Friday, August 07, 2015 3:45 PM  
**To:** Zito, Kelly; Manzanilla, Enrique; Allen, HarryL; Montgomery, Michael  
**Subject:** FW: water quality parameters

**From:** Card, Joan  
**Sent:** Friday, August 07, 2015 3:39 PM  
**To:** Curry, Ron  
**Cc:** Blumenfeld, Jared; Strauss, Alexis; Coleman, Sam; Gray, David; Kao, Jessica  
**Subject:** RE: water quality parameters

I'm going to have a statement on pH for you in five minutes. I'll have a statement on metals in about 30 minutes. Joan

**From:** Curry, Ron  
**Sent:** Friday, August 07, 2015 4:10 PM  
**To:** Card, Joan  
**Cc:** Blumenfeld, Jared; Strauss, Alexis; Coleman, Sam; Gray, David; Kao, Jessica  
**Subject:** Re: water quality parameters

Joan,

Can we release?

Ron

Sent from my iPhone

On Aug 7, 2015, at 3:20 PM, Card, Joan <[Card.Joan@epa.gov](mailto:Card.Joan@epa.gov)> wrote:

**From:** Hestmark, Martin  
**Sent:** Friday, August 07, 2015 1:22 PM  
**To:** McComb, Martin; Card, Joan  
**Subject:** FW: water quality parameters

Limited but informative. Get ready to post. Joan you have any concerns?

**From:** McComb, Martin  
**Sent:** Friday, August 07, 2015 11:58 AM  
**To:** Hestmark, Martin  
**Subject:** Fwd: water quality parameters

Sent from my iPhone

Begin forwarded message:

**From:** "Wall, Dan" <[wall.dan@epa.gov](mailto:wall.dan@epa.gov)>  
**Date:** August 7, 2015 at 11:51:40 AM MDT  
**To:** "McComb, Martin" <[McComb.Martin@epa.gov](mailto:McComb.Martin@epa.gov)>  
**Cc:** "McKean, Deborah" <[mckean.deborah@epa.gov](mailto:mckean.deborah@epa.gov)>, "[john.west@westonsolutions.com](mailto:john.west@westonsolutions.com)" <[john.west@westonsolutions.com](mailto:john.west@westonsolutions.com)>, "[molly.patterson@westonsolutions.com](mailto:molly.patterson@westonsolutions.com)" <[molly.patterson@westonsolutions.com](mailto:molly.patterson@westonsolutions.com)>  
**Subject:** water quality parameters

Marty, this is all the water quality parameters we have collected so far. Parts of these

results should correspond to dissolved metals data you just received.

We are working to get coordinates for the water intakes we sampled yesterday (Durango, Aztec and Farmington). The other coordinates from the water sampling should be in SCRIBE.

Dan

<GK release.xlsx>